



PCT/GB2004/001277



INVESTOR IN PEOPLE

The Patent Office

Concept House

Cardiff Road

Newport

South Wales

NP10 8QQ

REC'D 29 APR 2004

WIPO

PCT

PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.


In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed *Jo Behan*

Dated 6 April 2004



3. APR. 2003 15:03

D YOUNG & CO

NO. 263 P. 3

Patents Form 1/77

Patents Act 1977
(Rule 16)

177

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

THE PATENT OFFICE
JR
- 3 APR 2003
RECEIVED BY FAX

The Patent Office

Cardiff Road
Newport
South Wales
NP10 8QQ

1. Your reference

P016874GB

03APR03 E797547-1 D02246
P017700 0.00-0307719.5

2. Patent application number

(The Patent Office will fill in this part)

0307719.5

- 3 APR 2003

3. Full name, address and postcode of the or of each applicant (underline all surnames)

INTELLPROP LIMITED
PO BOX 626
NATIONAL WESTMINSTER HOUSE
LE TAUCHOT ST PETER PORT
GUERNSEY

Patents ADP number (if you know it)

7900533001

If the applicant is a corporate body, give the country/state of its incorporation

A GUERNSEY COMPANY

4. Title of the invention

TELECOMMUNICATIONS SERVICES APPARATUS

5. Name of your agent (if you have one)

D Young & Co

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

21 New Fetter Lane
London
EC4A 1DA

Patents ADP number (if you know it)

59006

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country-

Priority application number
(if you know it)Date of filing
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if

Yes

- a) any applicant named in part 3 is not an inventor, or
b) there is an inventor who is not named as an applicant, or
c) any named applicant is a corporate body.

See note (d)

Patents Form 1/77

BEST AVAILABLE COPY
BEST AVAILABLE COPY

0065329 03-Apr-03 03:07

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form NONE

Description 8

Claim(s) 0

Abstract 0

Drawing(s) 1

10. If you are also filing any of the following, state how many against each item.

Priority documents 0

Translations of priority documents 0

Statement of inventorship and right to grant of a patent (Patents Form 7/77) 2

Request for preliminary examination and search (Patents Form 9/77) 0

Request for substantive examination (Patents Form 10/77) 0

Any other documents Facsimile Letter Dated 3 April 2003
(please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature *D. Young & Co.* Date 03 April 2003
D Young & Co (Agents for the Applicants)

12. Name and daytime telephone number of person to contact in the United Kingdom

Adam Pilch

023 8071 9500

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

Patents Form 1/77

BEST AVAILABLE COPY

0065329:03-Apr-03:03:07

TELECOMMUNICATIONS SERVICES APPARATUS

This invention relates to telecommunications services apparatus, and in particular to such apparatus capable of supporting text and voice communications between multiple users, including for example the Global System for Mobile Communications (GSM) and its associated short message services (SMS).

In order for a new service to be successful in the mobile communications marketplace, the service should ideally meet a number of criteria. The more of these conditions are satisfied, the more likely the service is to be a success. The criteria are—

- The service must fulfil a need
- The service must be accessible to a high proportion of the user base, ideally to all users
- The service concept must be easily understood by most users
- Activation of the service must be extremely simple
- Use of the service must not require a significant change in behaviour on the part of the user
- The service must be technically and economically feasible

If a service can satisfy all of these constraints simultaneously, then a properly engineered and marketed implementation will have a high probability of success.

The requirements of simplicity and not changing user behaviour are often neglected, and as a result there are many features available on mobile telephone networks that operators believe that they support, but in practice hardly anybody uses. These human factors are critical to removing the barriers to adoption by the average user.

The present invention concerns text and voice communications in groups. Using the invention, a user is very easily able to send a text message to a group of users, or to initiate a voice conference with the group of users. These are known functions in current networks, but in present implementations the usage model is too complex and

consequently a barrier to adoption exists that prevents most users from using the service.

At present if one wants to send the same SMS message to multiple recipients, it is
5 generally necessary to manually send the message multiple times. Although it is not
necessary to re-enter the text of the message, it is generally necessary to perform each
send as a separate operation.

Certain sophisticated telephone handsets have the capability of storing within the
10 handset a definition of one or more groups of recipients, usually identified by a label.
Some handsets also allow a recipient list to be created at the time of sending. For
example, after a message has been created a recipient is normally selected from the
handset's internal telephone book. Some handsets then allow additional recipients to
be added to the addressee list at this point. When the message is sent the handset then
15 performs a sequence of sending operations one to each nominated recipient. In the
case of handsets which support group definition, the same effect is achieved by
selecting the 'group' name as the single recipient of the message. The handset still
performs a sequence of individual sends.

20 It is also known that some GSM mobile networks support the sending of SMS
messages to multiple recipients using functionality built into their short message
service centres (SMSCs). This functionality is not widely used or promoted largely
because of the complexity and inconvenience of setting it up prior to sending an SMS
message.

25 It is further known that some mobile telephone systems support audio conferencing
functions for connection to both analogue and digital telephone communication
networks. These systems use either analogue bridges or digital signal processing
techniques to combine audio from callers and to play combined audio to each
30 participant in the conference. For instance, the GSM system specifies a digital means
for conferencing up to six people. However, the usage model is not intuitive, and some

networks have introduced alternative conferencing systems that provide a different usage model.

Today there exist several distinct categories of conferencing—

- 5 • Meet-me services, generally aimed at the residential user. These are normally automatic systems not requiring any booking or operator intervention to set up a conference. Callers dial in at a pre-agreed time and each caller pays for his own call.
- 10 • Outdial (or Chairman) services, generally aimed at business use. The organiser, or chairman, specifies the telephone numbers to be outdialled by the system, and normally pays for all of the calls. Automated systems exist to allow on-demand chairman-outdial conferencing without operator intervention.
- 15 • Bureau-based conferencing, where an operator takes bookings and sets up conferences on behalf of a chairman.

Systems for implementing these schemes may either be network based or use 'in-house' equipment operated by a company.

20 Meet-me based schemes suffer from the disadvantage that the audio conference needs to be pre-arranged, with the participants dialling in at an agreed time. For a business meeting, this may be inappropriate since the information to be disseminated in the conference could in many cases be conveyed during the calls necessarily made to agree a start time. For business and other ad-hoc usage of conferencing an outdial model is more appropriate. In most cases this means that the initiator pays for all call
25 legs, but this is not necessarily so. It is possible to implement outdial conferencing with a reverse charge model. In any case, the outdial conference model is the only one that is appropriate for immediate on-demand conferencing.

30 Traditional outdial conferencing requires that for each invocation of the conference, the chairman must sequentially enter all of the telephone numbers for the other parties. If a call drops during the conference, which is common for mobile telephones, then the chairman must redial the lost party. This number entry scheme is inconvenient for the

initiator, and categorises the service as another one of those that is too much trouble to use regularly.

5 The present invention solves the problems that make chairman outdial conferencing awkward to use, and advantageously combines the features of a group texting service and a group conferencing service. Using the invention, a mobile subscriber can use one number, which may be a short-code or a phone book entry, as a destination address for a text message or a voice call. As a destination address for a text message, this results in the same text message being sent to all participants of a respective group. As a
10 destination address for a voice call, this results in an instant outdialled conference to all the participants of the same respective group. The participants of the respective group are predefined by the user.

15 According to the invention there is provided a telecommunications services apparatus for use with a mobile telephone network, said apparatus being operable to store for a first user addresses representing members of at least one group of users, said addresses being configurable by the first user, wherein preferably the first user may send a text message to a service address corresponding to one of the at least one groups of users, that causes the apparatus to replicate the text message to all of the members of that
20 group, and wherein the first user may make a voice call to the same service address that causes the apparatus to initiate an audio conference with all of the members of that group.

A telephone network (1) connects voice calls and transmits text messages between
25 attached users. Voice calls (2) addressed to the apparatus for the purpose of initiating a conference call are routed to the Switch (3), causing a notification message to be sent to an SCP (5) with attached database (7) containing subscriber records including the addresses of the desired group of participants. Under control of the SCP (5), the switch (3) makes outdialled calls to group participants, and connects all parties to a
30 conference bridge on a conferencing unit (4). Mobile originated text messages (8) addressed to the apparatus are intercepted by an SMS Router (6), causing a notification

message to be sent to the SCP (5) with attached database (7). Under control of the SCP (5), the SMS Router (6) replicates the text message to group participants.

5 In order to achieve simple group configuration, it is desirable that the data storage which defines the members of each group is managed by the network rather than by the users' handsets. It therefore follows that the user must have a means of interacting with the network in order to define and manage the membership of his groups. This mechanism will normally include a means for adding, deleting and listing the members of a group. Many syntaxes are possible for implementation of these mechanisms.

10

In an embodiment of the invention, the same service number may be used for voice calls that initiate a conference, for text messages that are replicated to an associated group, and for text messages conforming to a specific syntax for defining the members of an associated group. For example, one or more short codes such as 501 to 509 may be allocated by the network for this service. In this case each subscriber that is permitted to use the service may have up to 9 separate groups. Calling 501 will initiate a conference with participants predefined as group1, while sending a text message to 507 will replicate the text message to the members predefined as group7, etc. Each group is said to be associated with the respective service numbers 501 to 509.

20

The identity of the members of each group are stored by the apparatus, preferably in a database attached to an SCP. The group definitions are retrieved from the database using a combination of the service number and the CLI of the user, permitting each subscriber to have his own group definitions.

25

The operation of a preferred embodiment of the invention is now described.

There are two aspects to the invention, which are the voice and text aspects. These may be considered separately, however maximum utility is achieved when both aspects of the service are made available on the same service number, this providing a simple and memorable service model for the user. The service number may be a long number or a short code, and in any case may be stored in the user's address book in

30

association with a memorable name, in the same way as any other personal telephone number or service number. In this way, there is no change in behaviour required for the user to make use of the service, since users are usually familiar with making calls and sending text messages using the handset's built-in phone book.

5

Both the voice and text aspects of the invention use the same group definitions, and a preferred syntax for defining this is now described. Using the previous example of service numbers 501 to 509 being provided for accessing nine independent groups, the user may define a group of members on any of these numbers by sending a text
10 message to the respective service number conforming to a specific format. A preferred format is for the body of the text message to commence with a defined delimiter character, and to comprise a list of telephone numbers separated by the same delimiter character. A suitable character is '.' but other delimiters or methods may be used.

15 In a preferred embodiment, the telephone numbers permitted in a group definition may include mobile telephone numbers on any network. Billing issues for texts or conference calls to group members on other networks are automatically taken care of by existing billing mechanisms, since the originator pays for all of these. In alternative
20 embodiments, fixed line telephone numbers may also be included. Text messages sent to these numbers may be handled in a variety of ways, including text to voice-call translation, text to email translation and message discard.

Initiation of a text message to a group works as follows:

25 The originator composes a text message in the normal way, and sends the message either by entering the service number or by selecting the corresponding entry in his handset phone book. The mobile telephone network is configured to intercept text messages sent to this service number. This is typically achieved by an SMS Router in the Mobile Originated text path, before message arrival at an SMSC. The SMS Router,
30 in conjunction with an attached database and possibly in conjunction with an external processing server, is configured to replicate the Mobile Originated message and to substitute the addresses of the corresponding group members in place of the service

number. The message may then be direct-delivered in Mobile Terminated format to these recipients, or forwarded in Mobile originated format to an SMSC for store-and-forward delivery. If a delivery receipt was requested with the original message, then the delivery receipt request may be transferred to each of the replicated messages, resulting in delivery receipts being obtained for each of the delivered messages.

Initiation of a conference call with a group works as follows:

The originator makes a voice call in the normal way, either by entering the service number or by selecting the corresponding entry in his handset phone book. The network routes this call to the apparatus, where it is received by the switch. The switch then queries the SCP, passing the CLI of the caller. Using stored information about current conferences and free ports on the conference units, the SCP reserves resources on a conference unit. Using a combination of the CLI, the service number and its database, the SCP identifies the group members to be contacted. The SCP then instructs the switch to dial out to each of the group members in parallel, and to connect these callers into a conference with the initiator. The CLI presented to each of the outdialled parties is preferably that of the initiator.


Optionally, if any of the outdialled parties with a mobile telephone number is busy, a text message may be sent containing a unique telephone number selected by the SCP from a range allocated to the apparatus. If this party later calls this number whilst the conference is still in progress then he will be connected into the same conference. A CLI security check is preferably also done to prevent uninvited entrants.


In an alternative embodiment, all of the group participants, apart from the initiator, may be joined to the conference in that way, that is by sending a pro-forma text message inviting each member to immediately join an audio conference with the initiator (identified by his CLI), the text message containing the number to dial. The CLI of the text message is preferably that of the initiator.

This method has the advantage that each member pays for his own call, but has the restriction that only mobile numbers may be invited. The initiator still benefits from the simplicity of making only a single voice call.

- 5 The key benefit of the described invention is the ability for a mobile subscriber to predefine one or more groups, and to contact them all by text or audio conference with such simplicity that there is no barrier to use, since the handset phone book is used in the same way as for a normal message or call.

1/1





PCT/GB2004/001299

